

BCT counting scales offer a removable, easy-to-clean stainless steel platform, providing an excellent value for industrial counting tasks. Store and recall up to 1006 PLUs or piece weights to improve efficiency in production or warehouse applications

**Capacity x Readability**

65 lb x 0.002 lb

Pan Size

11.8 x 15.7 in

Manufature: Adam
Equipment**SKU:** BCT-65a**Please Call**
(800)832-0055

Features

BCT counting scales offer a removable, easy-to-clean stainless steel platform, providing an excellent value for industrial counting tasks. Store and recall up to 1006 PLUs or piece weights to improve efficiency in production or warehouse applications. The BCT features a built-in printer that prints weight, QR codes, bar codes and labels, which can be customized using the included software. Choose from two platform sizes to meet the demands of inventory tasks, batching, shipping and receiving. RS-232 interface provide speedy connection to computers and printers

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Adjustable leveling feet help optimize setup
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Built in printer can print weight, QR codes, bar codes and labels in numerous languages
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Zero-tracking feature ensures display returns to zero reading
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Rechargeable battery included for operation almost anywhere

- Programmable auto power-off to save energy

Applications

- Weighing
- Parts counting
- Check counting
- Averaging
- Barcode / label printing

Specifications

Model	BCT-35a	BCT-65a	BCT-130a	BCT-165a	BCT-330a	BCT-660a
Capacity x Readability	35 x 0.001 lb	65 x 0.002 lb	130 x 0.005 lb	165 x 0.01 lb	330 x 0.02 lb	660 x 0.05 lb
	16 kg x 0.5 g	30 kg x 1 g	60 kg x 2 g	75 kg x 5 g	150 kg x 0.01 kg	300 kg x 0.02 kg
Indicator	AE-504					
Weighing Units	g, kg, lb, oz					
Pan Size	11.8" x 15.7"			15.7" x 19.7"		
	300 x 400 mm			400 x 500 mm		
Stabilization Time (sec)	2					
PLU memories	1006					
Output	RS-232					
Calibration	External calibration					
Display	Backlit LCD with 1.3"/ 34mm -high digits					
Power	12VDC 3A adapter					
Operating Temperature	-10° to 40°C / 14° to 104°F					
Housing	ABS plastic indicator with die-cast aluminum base					
Overall Dim.	11.8" x 20.5" x 26.8" / 300 x 520 x 680 mm (wxdxh)			15.7" x 24.4" x 33.9" / 400 x 620 x 860 mm (wxdxh)		
Net Weight	18.7lb / 8.5kg			29.8lb / 13.5kg		

Accessories

- 3074010266 - RS-232 cable (null-modem)
- 600002028 - AdamDU Data Collection Program
- 700200107 - Casters / wheels (set of 4)
- 700660290 - Calibration certificate
- 700660288 - Calibration certificate (IHS, LHS, AFK 1320, GFK 1320, PTM)

i81u812

Contact US

718-336-5900

Returns

Store Policies

About Us

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
- Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.