



CAS LP-1000N Label Printing Scale Legal for Trade , 30 x 0.01 lb

Fully programmable scale with printer, auto printing and Save keys for prepack, zero, tare, tare save and prepack functions, 5 label formats or custom continuous labels to choose from, 4000 PLUs, 54 preset speed keys. Includes RS232 interface and free sof



Capacity x Readability

Non Legal Mode: 30 lb x
0.01 lb

Legal For Trade: 30 lb x
0.01 lb

Pan Size

15.75 x 9.65 in

Manufacture: CAS

SKU: LP-1000N

UPC: 797734497236

Free Ground Shipping within
the 48 continental US States



Legal for Trade

Please Call
(800)832-0055

Features

Take CASs most popular label printing scales, the CAS LP-1000 series, make some improvements, and you have the new CAS LP-1000N and LP-1000NP label printing scales -- the best scale on the market today in its class. A feature rich, easy to use label printing scale. With its ability to use the most popular label formats, the CAS LP-1000N will be perfect for delis, convenience stores, meat counter, bakery, grocery stores and more.

- Includes RS232 interface
- Free software included
- 4000 PLU (item) capacity

- 54 preset keys
- 30 standard label formats plus 6 custom labels
- Continuous strip label
- Print ingredients with labels 8000 & 8010
- Print label with backing paper
- Net weight statement
- Pre-pack mode for automatic weighing / labeling
- High speed printer
- Print detailed reports on label of full page
- Print inhibition (every field)
- Password function
- Diagnostic feature
- Spanish printing
- Flash ROM
- Options: pole mount, interface cable, optional 2nd platter with drainage hole, and keyboard wet cover

Specifications

Model	LP-1000N	LP-1000NP	LP-1000N-CA	LP-1000NP-CA
Weighing Capacity	30 x 0.01 lbs			
Legal for Trade	NTEP # 92-169		Measurement Canada	
Display Digits	5/6/7 (Weight / Unit Price / Total Price)			
Display Type	VFD (vacuum fluorescent display)			
Measurement Type	Load Cell			
Preset Data	4000 PLU, 1000 ingredient messages (50 characters x 8 lines)			
Data Transfer	PC to scale, Scale to PC, Scale to scale			
Label Size	58 x 30 mm - 58 x 100 mm			
Power Source	AC 110/120/220/240V, 50/60 Hz			
Interface	RS-232C , USB			
Power Consumption	Max 100W			
Operating Temp	14 to 104 degrees F			
Platter Size	15.75 (W) x 9.65 (D) / 400 (W) x 245 (D)	15.75 (W) x 9.65 (D) / 400 (W) x 245 (D)	15.75 (W) x 9.65 (D) / 400 (W) x 245 (D)	15.75 (W) x 9.65 (D) / 400 (W) x 245 (D)
Dimensions	116.1 (W) x 16.9 (D) x 7.8 (H)	116.1 (W) x 19.3 (D) x 23.6 (H)	116.1 (W) x 16.9 (D) x 7.8 (H)	116.1 (W) x 19.3 (D) x 23.6 (H)
PLU Data	Commodity name, message, item #, tare weight, unit price, group code			
Printing Data	Commodity name, message, packed-on date, sell-by date, unit price, weight, total price, store name and address, serial #, time, PLU #, group code			
Bar Code Formats	I2of5, EAN13			

- Contact US
- 718-336-5900
- Returns
- Store Policies
- About Us

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
 - Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.