

Cambridge Scale Works Model SS680 Series Ultra-Lo Profile Floor Scale shown with optional easy incline ramp. Cambridge CSW-10AT Digital Weight Indicator Legal for Trade, Selectable: NTEP 5,000 Division - Non-NTEP 20,000 Division.



MODEL SS680 SERIES Ultra-Lo Profile Floor Scale

C A M B R I D G E
SCALE WORKS INCORPORATED

Capacity x Readability

Non Legal Mode: 5000 lb x 0.5 lb

Legal For Trade: 5000 lb x 1 lb

Pan Size

4 x 6 ft

This Item Contains the following items

[1 x Cambridge
680SS48725 Model
SS680 Stainless Steel
Legal For Trade
Ultra-Lo 48 x 72 x 2
Base Only 5000 lb
\(3876-1010-00\)](#)

[1 x Cambridge
CSW-10AT LED
Digital Weight
Indicator Legal for
Trade](#)

Manufature: Cambridge Scale

SKU: **680SS48725K**

Dimensions

X: 48.00 Y: 72.00 Z: 2.00



Legal for Trade

Please Call (800)832-0055

Note: This product can only be shipped Ground Delivery.

Features

Cambridge Scale Works Model SS680 Series Ultra-Lo Profile Floor Scale shown with optional easy incline ramp. Cambridge CSW-10AT Digital Weight Indicator Legal for Trade, Selectable: NTEP

5,000 Division - Non-NTEP 20,000 Division. Keypad Calibration with Audit Trail. ABS Plastic Dust-Tight Enclosure with Stainless Steel Swivel Stand. Adjustable Motion Detection.

MODEL SS680 STANDARD FEATURES

- Live safety side rails for oversized loads and roll off protection
- Structural tubular stainless steel design
- Capped and sealed tubes throughout
- Smooth stainless steel deck plates
- Stainless steel anti-skid leveling feet
- 100% end loading capacity
- 200% overload protection
- Remote stainless steel NEMA IV junction box with ten foot Sealtite® protective conduit.
- Four internally mounted NTEP certified 5000 division class III/IIIL water resistant environmentally protected IP 67 rated stainless steel load cells
- Easy access stainless steel leveling feet
- Shielded signal and load cell cables
- Ultra-lo profile design for jack truck & cart weighing
- Glass bead stainless steel finish
- One part in 5000 accuracy

OPTIONS

- Stainless steel easy incline ramps
- Stainless steel bumper rail assembly
- Type 316 stainless steel
- Stainless steel diamond tread plate
- Hermetically sealed stainless steel load cells
- "FM" stainless steel load cells

Specifications

Cambridge Scale MODEL SS680 Stainless Steel Ultra-Low Profile Floor Scales

Model	Pan Size (Inch)	Capacity x Readability	Legal For Trade	Price Base Only	Price with CSW-10AT Indicator	Overall Size (Inch)
680SS30301	30 x 30 x 1.5	1,000 x 0.1 lb	NO	- 36 x 30		
680SS30302	30 x 30 x 1.5	2,500 x 0.5 lb	NO	- 36 x 30		
680SS36361	36 x 36 x 1.5	1,000 x 0.1 lb	NO	- 42 x 36		
680SS36362	36 x 36 x 1.5	2,500 x 0.5 lb	NO	- 42 x 36		
680SS36481	36 x 48 x 1.5	1,000 x 0.1 lb	NO	- 42 x 48		
680SS36482	36 x 48 x 1.5	2,500 x 0.5 lb	NO	- 42 x 48		
680SS48485	48 x 48 x 2	5,000 x 0.5 lb	NO	- 54 x 48		

680SS48481	48 x 48 x 2	10,000 x 1 lb	NO	- 54 x 48
680SS48605	48 x 60 x 2	5,000 x 0.5 lb	NO	- 54 x 60
680SS48601	48 x 60 x 2	10,000 x 1 lb	NO	- 54 x 60
680SS48725	48 x 72 x 2	5,000 x 0.5 lb	NO	- 54 x 72
680SS48721	48 x 72 x 2	10,000 x 1 lb	NO	- 54 x 72
680SS60605	60 x 60 x 2.5	5,000 x 0.5 lb	NO	- 66 x 60
680SS60601	60 x 60 x 2.5	10,000 x 1 lb	NO	- 66 x 60
680SS60725	60 x 72 x 2.5	5,000 x 0.5 lb	NO	- 66 x 72
680SS60721	60 x 72 x 2.5	10,000 x 1 lb	NO	- 66 x 72
680SS60845	60 x 84 x 2.5	5,000 x 0.5 lb	NO	- 66 x 84
680SS60841	60 x 84 x 2.5	10,000 x 1 lb	NO	- 66 x 84

i81u812