



## Cambridge CSW-10AT-B LED Digital Weight Indicator Legal for Trade - Battery Operated

Cambridge CSW-10AT Digital Weight Indicator Legal for Trade, Selectable: NTEP 5,000 Division - Non-NTEP 20,000 Division. Keypad Calibration with Audit Trail. ABS Plastic Dust-Tight Enclosure with Stainless Steel Swivel Stand. Adjustable Motion Detection.



**C A M B R I D G E**  
SCALE WORKS INCORPORATED

Manufacture: Cambridge Scale

SKU: **CSW-10AT-B**

Dimensions

X: 8.50 Y: 7.00 Z: 3.00

Weight: 7.00 lb

**Please Call (800)832-0055**

## Features

### Cambridge CSW-10AT-B Digital Weight Indicator Legal for Trade

- Selectable: NTEP 5,000 Division - Non-NTEP 20,000 Division
- Net/Gross Display Modes
- Full Range Auto Tare
- Adjustable Digital Filtering
- All Push-button Controls
- LED Display (Bright)
- Printer Data Output on Demand
- 9 Pin Load Cell Connection
- Simple No-Soldering Load Cell Connection
- Clearly, Visible Center of Zero Indication on Display
- Lb/Kg Conversion
- Keypad Calibration with Audit Trail
- Weight Totalization 1 to 5 points of Digital Calibration available
- Span Adjustment at Increasing or Decreasing Weights
- Full Range Push Button Zero
- (1) RS-232 Port for Interface with:
  - Printer Output of Gross/Tare/Net
  - Computer Data Output

- Scoreboard Continuous Output Alphanumeric or Numeric
- AC Adapter Provided
- Auto Zero Tracking
- Adjustable Motion Detection
- ABS Plastic Dust-Tight Enclosure with Stainless Steel Swivel Stand

### Applications:

- Floor Scales
- Bench Scales
- Hopper Scales
- Tank Scales
- Fork Lift Scales
- General Purpose Weighing
- Remote Display Configuration

**Model CSW-10AT-B** For portable applications where battery operation is required. Includes all standard CSW-10AT features plus:

- Battery/AC Operation
- Internal Battery Charger
- Lithium-Ion Battery
- Sleep Mode

### Optional Features: Model CSW-10AT-B

- 110 VAC Dry Contact Set Point
- Digital Scroll Tare
- spare Battery Wall Charger (p/n 1165-1012-00)
- 12 VDC Accessory Port Power Cable
- Peak Weight Hold

## Specifications

Model	CSW-10AT	CSW-10AT-B	SSCSW-10AT	SSCSW-10AT-B
<b>Power</b>	120 VAC Adapter / 12 VDC ±10%	7.4 VDC 3000 mAH* Battery/120 VAC Adapter	120 VAC Adapter / 12 VDC ±10%	7.4 VDC 3000 mAH* Battery/120 VAC Adapter
<b>Battery Operated</b>	NO	YES	NO	YES
<b>NON-NTEP Resolution</b>	20,000 Division			
<b>Legal for Trade</b>	NTEP #06-070A1 Measurement Canada #AM-5778C NTEP Resolution 5000 Division			
<b>Humidity</b>	0-90% Non-condensing			
<b>Dimensions</b>	6.5" x 4.3" x 2.5" without Stand, +1 inch with Stand		7.5" x 4.5" x 3" without Stand, +1 inch with Stand	
<b>Enclosure</b>	ABS Plastic		304 Stainless Steel NEMA 4X	
<b>Display</b>	High Efficient, Bright (Adjustable)LED—6 Digits—0.56" High			
<b>Input</b>	0-15mv			
<b>Temperature</b>	10" to +40" Celsius			

**Linearity** 0.001% of Full Scale  
**Accuracy** 0.001% of Full Scale  
**Load Cell Supply** 5VDC at 150ma (8 each 350 ohm load cells)

(1) 350 OHM Cell -  
22hrs  
(4) 350 OHM Cell -  
20hrs  
(8) 350 OHM Cell -  
14hrs

(1) 350 OHM Cell -  
22hrs  
(4) 350 OHM Cell -  
20hrs  
(8) 350 OHM Cell -  
14hrs

**Battery Operating Time** -

**Ports** RS-232

**Country of Origin** USA

i81u812

[Contact US](#)

[718-336-5900](#)

[Returns](#)

[Store Policies](#)

[About Us](#)

- Phone: [\(800\)832-0055](#) or [\(718\)336-5900](#)
  - Chat with us via [WhatsApp Chat](#)
  - Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2020 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.