

Detecto chair scales are conveniently portable and offer easy side or front access for your special patients. The arms raise easily on both models, so the patient can be conveniently assisted into and out of the chair scale. Detecto simplifies the task of weight checks for frail, handicapped, and elderly patients with a selection of innovatively-designed chair scales, such as the 6475.



Manufacture: Detecto

SKU: **6475K**

UPC: 809161138306

Dimensions

X: 46.00 Y: 25.00 Z:
31.00

**Please Call
(800)832-0055**

Features

Frequent weight checks of frail, handicapped, and elderly patients can be a tremendous, time-consuming task without the proper equipment. Detecto simplifies that job with a selection of innovatively-designed chair scales. Developed to ensure patient safety and comfort as well as to reduce weighing time, Detecto chair scales are conveniently portable and offer easy side or front access for your special patients. The arms raise easily on both models, so the patient can be conveniently assisted into and out of the chair scale. Detecto simplifies the task of weight checks for frail, handicapped, and elderly patients with a selection of innovatively-designed chair scales, such as the 6475. These digital chair scales feature waist-high LCD displays allowing weighing with accuracy to 0.2 lb or 0.1 kilogram. Battery power and oversized wheels enhance their portability.

Features

- Lift away arms and footrest
- Oversized wheels for easy transport
- White with black seat and armrests
- Battery power enhances portability

Specifications

- Capacity 180kg
- Readability 0.1kg
- Pan Size N/A
- Display 0.7" high-contrast LCD
- Power Source 6 "C" size Alkaline or Nickel-Cadium cells (not included) or optional AC adapter
- Keypad 19 key, color-coded, sealed membrane
- BMI Range 15.0 - 60.0
- BMI Height Range 3 to 7 ft / 90 to 215 cm
- Resolution 5,000 divisions, maximum
- Accuracy Class III
- Temperature Range +14 to +104 °F / -10 to +40 °C
- Scale Weight 78lbs / 35kg

Scales from us provide a 90 days replacement guarantee ONLY if the product is non functional, and customer must save original package.

Specifications

Model	6475	6475-AC	6475-C	6475-C-AC	6475K
Capacity x Readability	400 lb x 0.2 lb 180 kg x 0.1 kg	400 lb x 0.2 lb 180 kg x 0.1 kg	400 lb x 0.2 lb 180 kg x 0.1 kg	400 lb x 0.2 lb 180 kg x 0.1 kg	180 kg x 0.1 kg
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	AC adapter(included) or 6 AA batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	AC adapter(included) or 6 AA batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)
Indicator	Model 750				
Indicator	6.1 in W x 6.8 in H x 1.8 in D				
Dimensions	15.5 cm W x 17.2 cm H x 4.6 cm D				
LCD Digits	0.7 in / 19 mm high LCD, 6 digit, 7 segment				
Keypad Buttons	ON/OFF, ZERO, UNITS, LOCK/RELEASE, BMI/ENTER, PRINT, arrow keys				
Connectivity	RS232	RS232	Wi-Fi/Bluetooth	Wi-Fi/Bluetooth	RS232
Operating Temperature	14 to 104 °F / -10 to +40 °C				
Shipping Weight	78 lb / 35 kg				
Country of Origin	USA				
UPC Code	809161138207	809161322903	809161320107	809161323009	809161138306

i81u812

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
- Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.