Easy Weigh CK-60-POLE Price Computing Scale with Column, 60 lb x 0.01

NTEP Legal for Trade. More accurate and nearly \$100 less than other competing price computing scales. With built-in rechargeable battery and included AC adapter for use anywhere. Large backlit LCD display with 4 direct PLU keys programmable with tare



Easy Weigh®

Manufature: Easy Weigh SKU: **CK-60-POLE** Weight: 18.00 lb

Please Call (800)832-0055

Features

The Easy Weigh CK-series price computing scales are ideal for deli, grocery and other retail and/or food service weighing applications. This legal for trade food service scale has a stainless steel platter, long battery life with a rechargeable built-in battery and an included AC adapter -- up to 100 hours of continuous use per charge. This price computing scale is available with or with out the pole (specify -POLE version when ordering if column is desired). This fast reliable battery operated price computing scale is great for outdoor operation, counter service and high volume operations!

- Model: CK-60-POLE
- Capacity x Graduation: 60 lb x 0.01 lb
- Dimensions: K-POLE: 12.6 x 13.4 x 22.6 in (320 x 340 x 575 mm)
- Legal for Trade (1/6000 NTEP Approved Class III)
- More accurate than most other competing price computing scales
- Approximately \$100 less than other comparable price computing scales
- Large backlit LCD display with 6 digit pricing and weight
- Includes AC adapter with long power cord
- With built-in rechargeable battery -- over 100 hours of continuous use (without backlight)
- 4 direct PLU keys programmable with tare and unit price
- Stainless steel platter and sturdy ABS plastic sub-platter
- Ultra quick-response weight display
- Portable design can be used easily in any location
- Tough, high quality UV-sealed keypad

- Compact medium-sized footprint design
- User friendly PLU programming
- Quick operation keypad for high throughput
- Function keys: 4 PLUs, Save, Tare, Zero
- Optional RS-232 port
- 1 year manufacturers warranty
- Includes FREE in-use, wet-proof protective cover

Specifications

Model	CK-30 / CK-30-POLE	CK-60 / CK-60-POLE	
Capacity x Graduation	30 lb x 0.005 lb	60 lb x 0.01 lb	
Maximum Tare	30 lb	60 lb	
Dimensions (w x l x h)	CK-: 12.6 x 13.4 x 4.5 in (320 x 340 x 125 mm) CK-POLE: 12.6 x 13.4 x 22.6 in (320 x 340 x 575 mm)		
NTEP Certificate	Approved 1/6000 resolution, Legal for Trade, CC #03-011		
A/D Conversion Rate	50 updates per second		
Direct PLU Keys	4 Direct PLU keys which can be programmed with tare and unit price		
LCD Display	Weight: 6 digits (999,999 max) Unit Price, 6 digits (9999.99 max) Total Price, 6 digits (9999.99 max)		
Platter Size (w x l)	11.8 x 8.9 in (300 x 225 mm)		
Accrediation	NTEP Class III, OIML, CE, ISO 9002		
AC Adapter Specifications	AC Input: 120 VAC @ 60 Hz DC Output: 9 VDC, 800mA, Positive Tip		
Battery Specifications	100 hours without backlight / 48 hours with backlight (continuous use)		
Power Consumption and Fuse Rating	Approximately 10 watts / Fuse: 250 volts, 1.5 amp, 20 mm		

i81u812

Contact US

718-336-5900

Returns

Store Policies

About Us

Phone: <u>(800)832-0055</u> or <u>(718)336-5900</u> Chat with us via <u>WhatsApp Chat</u>

Address: 4802 Glenwood Rd. Brooklyn, NY 11234

© 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.