

1000 pound capacity with 0.2 lb readability -- weighs in both pounds and kilograms. Large 15 3/4" x 22" inch platform and easy grip handrail for patient stability. With motion sensing weighing technology, re-weigh, low battery indicator and auto off.



Health o meter®
Professional

Capacity x Readability

1000 lb x 0.2 lb

Pan Size

22 x 15.75 in

Manufacture: Health O Meter

SKU: 1100KL-BT

Free Ground Shipping within the 48 continental US States

Please Call
(800)832-0055

Features

The scale is set up to use motion-sensing weighing technology, to determine the actual weight of a moving patient. The scale may be changed to measure live weight; see page 12 for instructions on changing the scale setting.

The weight can be display in pounds (decimals, fractions of a lb or lb/oz) or in kilograms. The 1100KL features a wrap-around handrail for patient comfort and safety and a 180 degree swivel/pivot head for reading from either side of the scale. Also included on the platform scales are two wheels for easy mobility.

The unit can be operated using its AC adapter or by 6-D cell batteries (not included).

The scale is set up to use motion-sensing weighing technology, to determine the actual weight of a moving patient. The scale may be changed to measure live weight; see page 12 for instructions on changing the scale setting.

The weight can be display in pounds (decimals, fractions of a lb or lb/oz) or in kilograms. The 1100KL features

- **EMR Connectivity** - Scale has the ability to interface with a computer, EMR software or other electronic device via various Health o meter® Professional Connectivity Solutions
- **"Live" Handrails** - Advanced technology allows the patient to hold onto handrails for stability while scale accurately calculates weight
- **Low Profile Platform** - Low platform height requires only minimal step up, offering patient a

comfortable and stable weighing experience

- **Calculates Body Mass Index (BMI)** Scale functions include the ability to calculate the patient's BMI
- **180° Swivel Display** - The display head has the ability to pivot for the convenience of the caregiver, allowing line-of-sight viewing and information privacy
- **On-Screen Help Menu** - Guides users through operating functions and provides easy access to multiple settings
- **Interactive Display** - High-contrast color screen provides a user-friendly interface
- **Value-Added Features** - Operating functions (LB/KG Conversion, LB/KG LockOut, BMI, Zero,Tare, Pre-tare, Hold/Release, Reweigh, Recall, Auto Zero, Auto Off, Time/Date, Variable Auto Off Time, Audible/Mute Sound Option) included at no additional cost
- **Everlock®** - Option that allows users to permanently lock the scale in either LB or KG to improve safety

Specifications

- Capacity: 1000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size (w x d x h): 22in x 15.75 in x 2.5 in / 559 mm x 400 mm x 64 mm
- Product Footprint (w x d x h): 31.25 in x 27.25 in x 49.75 in / 794 mm x 692 mm x 1264 mm
- Product Weight: 52 lb / 23 kg
- Display: 1.5 in / 38 mm High-Contrast Color TFT-LCD Screen
- Wheels: 2
- Power Source: 100-240V adapter included, 6 D batteries (not included)
- Connectivity: USB, optional Pelstar wireless technology
- Functions: LB/KG Conversion, LB/KG Lock Out, BMI, Zero,Tare, Pre-tare, Hold/Release, Reweigh, Recall, Auto Zero, Auto Off, Time/Date, Variable Auto Off Time, Audible/Mute Sound Option, Everlock®
- 2 year limited warranty

Functions

- BODY MASS INDEX (BMI)
- ADJUSTABLE BACKLIGHT
- EMR CAPABLE
- READOUT OPTIONS
- HOLD / RELEASE
- DATE / TIME DISPLAY
- AUTO OFF
- UPDATABLE SOFTWARE
- AUTO ZERO
- MODULAR DESIGN
- LB / KG CONVERSION
- SMART DIGITAL LOAD CELLS
- ZERO OUT / TARE
- 270 PATIENT ID MEMORY

Specifications

| Models | 1100KL | 1100KL-BT | 1100KLHR | 1100KLHR-BT | 1100KG | 1100KG-BT | 1100KLHR-BT |
|--------|--------|-----------|----------|-------------|--------|-----------|-------------|
| Price | | | | | | | |

| Features | lb / KG | lb / KG Wireless | lb / KG Height Rod | lb / KG Wireless Height Rod | KG | KG Wireless | KG Wireless Height Rod |
|-----------------------------------|--|-------------------------------------|-------------------------------------|-----------------------------------|-----------------|-----------------|------------------------------|
| Capacity x Readability | 1000 x 0.2 lb 454 x 0.1 kg | 1000 x 0.2 lb 454 x 0.1 kg | 1000 x 0.2 lb 454 x 0.1 kg | 1000 x 0.2 lb 454 x 0.1 kg | 454 x 0.1 kg | 454 x 0.1 kg | 454 x 0.1 kg |
| Platform Size | 22 x 15.75 x 2.5 in 559 mm x 400 mm x 64 mm | | | | | | |
| Product Footprint | 31.25 x 27.25 x 49.75 in 794 mm x 692 mm x 1264 mm | | | | | | |
| Product Weight | 52 lb / 23 kg | | | | | | |
| Display | 1.5 in / 38 mm High-Contrast Color TFT-LCD Screen | | | | | | |
| Wheels | 2 | | | | | | |
| Power Source | 100-240V adapter included, 6 D batteries (not included) | | | | | | |
| Connectivity | USB, optional Pelstar wireless technology | | | | | | |
| Functions | LB/KG Conversion, LB/KG Lock Out, BMI, Zero,Tare, Pre-tare, Hold/Release, Reweigh, Recall, Auto Zero, Auto Off, Time/Date, Variable Auto Off Time, Audible/Mute Sound Option, Everlock | | | | | | |
| Warranty | 2 year limited warranty | | | | | | |

i81u812

Contact US

718-336-5900

Returns

Store Policies

About Us

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
 - Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.