



Huge 1000 pound capacity with 0.2 lb readability -- weighs in both pounds and kilograms. With Casters and Folding Ramps for Easy Portability and Storage and 180 degree swivel head for side read, motion sensing technology, tare, zero, auto off, weight hold, reweigh, USB port and more.





Capacity x Readability 1000 lb x 0.2 lb Pan Size 36 x 32.5 in

Manufature: Health O Meter SKU: **2600KL**UPC: 892076002268
Free Ground Shipping within the 48 continental US States

Please Call (800)832-0055

Features

Huge 1000 pound capacity with 0.2 lb readability -- weighs in both pounds and kilograms. With Casters and Folding Ramps for Easy Portability and Storage and 180 degree swivel head for side read, motion sensing technology, tare, zero, auto off, weight hold, reweigh, USB port and more. Industry Leading 2 Year Warranty Protects you against damage and repair

- EMR Connectivity Scale interfaces with a computer, EMR software or other electronic device via various Health o meter® Professional Connectivity Solutions
- Calculates Body Mass Index (BMI) Scale functions include the ability to calculate the patient's Body Mass Index (BMI)
- Versatile Platform Wide and low profile platform accommodates wheelchairs and also provides a comfortable weighing experience for bariatric patients
- Interactive Display High-contrast color screen provides a user-friendly interface
- Casters and Folding Ramps for Easy Portability and Storage 4 wheels including 2 casters afford ease of movement and the folding ramps make it simple to store
- On-Screen Help Menu Guides users through operating functions and provides easy access to multiple settings
- Everlock™ (patent pending) Option that allows users to permanently lock the scale in either LB or KG to improve safety
- Value-Added Features Operating functions (LB/KG Conversion, LB/KG Lock Out, BMI, Zero, Tare, Hold/Release, Reweigh, Recall, Auto Zero, Auto Off, Time/Date, Variable Auto Off Time, Audible/Mute Sound Option) included at no additional cost

Functions

- LB / KG Conversion
- LB / KG Lock Out
- Body Mass Index (BMI)
- Zero
- Tare
- Hold / Release
- Reweigh
- Recall
- Auto Zero
- Auto Off
- Time / Date
- Variable Auto Time Off
- Audible / Mute Sound Option
- Everlock™

Specifications

Model	2600KL	2600KL-BT	2610KL	2610KL-BT	
Features	LB / KG	LB / KG Wireless	LB / KG Dual Ramps	LB / KG Dual Ramps Wireless	
Platform Capacity x Resolution	1000 x 0.2 lb 454 x 0.1 kg	1000 x 0.2 lb 454 x 0.1 kg	1000 x 0.2 lb 454 x 0.1 kg	1000 x 0.2 lb 454 x 0.1 kg	
Platform Size	36" (w) x 32 1/4"(d) x 2 1/2" (h) 914 mm (w) x 819 mm (d) x 64 mm (h)				
Display	1.5" / 38 mm High-Contrast Color TFT-LCD Screen				
RAMP SIZE (L x W)	32 3/8" x 9 7/8"	32 3/8" x 9 7/8"	32 3/8" x 9 7/8"	32 3/8" x 9 7/8"	
SECONDARY RAMP (OPTIONAL))	2600RAMP	2600RAMP	Included	Included	
Wheels	4 (2 casters)				
Power Source	Power Source: 100-240V adapter included, 6 D batteries (not included)				
Connectivity	USB (optional Bluetooth®)				
Warranty	2 Year Limited Warranty				

Model	2600KG	2600KG-BT	2610KG	2610KG-BT		
Features	KG	KG Wireless	KG Dual Ramps	KG Dual Ramps Wireless		
Platform Capacity x Resolution	454 x 0.1 kg	454 x 0.1 kg	454 x 0.1 kg	454 x 0.1 kg		
Platform Size	914 mm (w) x 819 mm (d) x 64 mm (h)					
Display	1.5" / 38 mm High-Contrast Color TFT-LCD Screen					

RAMP SIZE (L x W) 819 mm x 248 819 mm x 248 819 mm x 248 819 mm x 248

mm mm mm

(OPTIONAL)) 2600RAMP 2600RAMP Included Included

Wheels 4 (2 casters)

SECONDARY RAMP

Power Source: 100-240V adapter included, 6 D batteries (not

included)

Connectivity USB (optional Bluetooth®)
Warranty 2 Year Limited Warranty

i81u812

Contact US 718-336-5900 Returns Store Policies About Us

Phone: <u>(800)832-0055</u> or <u>(718)336-5900</u> Chat with us via WhatsApp Chat

Address: 4802 Glenwood Rd. Brooklyn, NY 11234

© 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.