



Mettler Toledo® PL602E Portable Balances 620 x 0.01 g

PL-E Portable Balances Solid Weighing to go. PL-E portable precision balances offer dependable, go-anywhere weighing. All models feature clear, bright displays. Resilient, compact and lightweight, they are the ideal solution for accurate results in limited spaces. A stackable cover facilitates fuss-free storage. 10 built-in applications add versatility to this range of practical, mobile all-rounders.



Mettler Toledo®

Capacity x Readability

620 g x 0.01 g

Manufacture: Mettler
Toledo

SKU: 30113826

Weight: 22.00 lb

Free Ground Shipping within
the 48 continental US States

Please Call
(800)832-0055

Features

PL-E Portable Balances Solid Weighing to go. PL-E portable precision balances offer dependable, go-anywhere weighing. All models feature clear, bright displays. Resilient, compact and lightweight, they are the ideal solution for accurate results in limited spaces. A stackable cover facilitates fuss-free storage. 10 built-in applications add versatility to this range of practical, mobile all-rounders.

- **Tough and Lightweight Design** Lightweight yet solidly built, with a precise load cell guaranteeing accurate results. Vibration-resistant design for high performance on temporary work surfaces and in the field.
- **Compact and portable** Handily shaped, with a space-saving footprint that fits on the smallest benches. Every PL-E model can be DC or battery operated, making the balance ideal for work whenever power supply is hard to find.
- **Backlit LCD display** Attractive and featuring large, illuminated digits for legibility under any light conditions. An easily understood user interface also gives access to 10 built-in applications for multi-purpose flexibility.
- **Stackable Cover** Simply stack and pack up to 5 balances for quick, easy storage – effectively protected against dust and dirt.
- **Embedded Applications**
 - Formulation

- Totaling
- Dynamic weighing
- Piece counting
- Density
- Percent weighing
- Check weighing
- Statistics
- Free factor

Specifications

Limit Values	PL602E (30113826)	PL1502E (30113823)	PL6001E (30113829)
Maximum Capacity	620 x 0.01 g	1520 x 0.01 g	6200 x 0.1 g
Repeatability	0.01 g	0.01 g	0.1 g
Linearity deviation	0.02 g	0.03 g	0.2 g
Adjustment	Cal Ext – Adjustment at a keystroke with an external weight		
Weighing Pan Size (mm)	Ø 160	Ø 160	Ø 160
Embedded Applications	Standard weighing, Formulation, Totaling, Dynamic weighing, Piece counting, Density, Percent weighing, Check weighing, Statistics, Free factor Backlit LCD Display		
	Efficient Operation		
Efficient Operation	Battery Operation		
	Stackable Cover for quick and easy storage		
	Weighing results in different units		
	Hook for weighing below balance		
Quality Assurance	Cal Ext – Adjustment at a keystroke with an external weight Overload protection		
	<ul style="list-style-type: none"> • RS-P26 Printer Ergonomically designed operation keys like Zero, Date/Time, Feed, Print Order No. 11124300 • LabX direct balance Simple data input by connecting the balance to a PC Order No. 11120340 • Anti-theft device Steel cord with a universal lock for securing the balance Order No. 590101 		
Optional Accessories	<ul style="list-style-type: none"> • PL-S Auxiliary displays RS232: Order No. 12122381 - PS2: Order No. 72213566 • Certified Weights Weights for customized testing and adjustments with guaranteed traceability • Transport Case Steel cord with a universal lock for securing the balance 		

Order No. 590101

- **Bluetooth Adapter** Simply plug in to send data wirelessly Order No. 30086494 Order No. 30086495 (2 pcs)

i81u812

Contact US

718-336-5900

Returns

Store Policies

About Us

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
 - Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.