



Ohaus TC6RSP Trooper Count Counting Legal for Trade Scale With Printer, 15 lb x 0.002 lb

The OHAUS Trooper Count TC-P Standard Counting Scale package is the ideal solution for counting and advanced applications such as inventory control and storehouse systems. The TC-P package includes everything you need to operate out-of-the-box. Just connect the cables, power it up, weigh and print!



Capacity x Readability

Non Legal
Mode: 15 lb x
0.002 lb

Legal For Trade:
15 lb x 0.005 lb

Pan Size
13.5 x 9 in

Manufacture: Ohaus
SKU: TC6RSP
Weight: 11.20 lb
Free Ground Shipping
within the 48
continental US States



Legal for Trade

Please Call
(800)832-0055

Features

Durability, Accuracy and Flexibility for Counting Operations

The OHAUS Trooper Count TC-P Standard Counting Scale package is the ideal solution for counting and advanced applications such as inventory control and storehouse systems. The TC-P package includes everything you need to operate out-of-the-box. Just connect the cables, power it

up, weigh and print!

The TC-P package consists of the Trooper Count scale and a high-speed thermal printer. The Trooper Count features average piece weight enhancement with 300 memory locations for up to 60 SKU items, easy-to-read backlit displays, and positive and negative sampling and counting for a full range of industrial uses.

Standard Features Include:

- 1:3,000 NTEP weighing resolution; up to 1:6,000 to 1:7,500 external displayed weighing resolution (non-NTEP)
- Three-window backlit LCD displays for Weight, Average Piece Weight and Parts Count
- Counting Auto-Add and Auto-Optimization software to increase sampling accuracy
- Numeric keypad with dedicated tare and counting function keys
- Positive and negative sampling; and positive and negative counting modes
- 60 SKU memory files for part numbers, tare weights, average piece weights, accumulations and hi/lo points
- Multiple weighing units: lb, oz, kg or g
- Hi/lo check-count and checkweighing mode, and accumulation of weight and pieces
- High speed thermal printer with easy paper loading, paper near-end detection and RS232 cable

Counting Features

Positive and Negative sampling, with user input of sample size or default sample size of 10; positive and negative counting; manual or pre-set tares; selectable memory mode for single part file operation; auto-optimization of average piece weight; auto-add to ensure sample weight accuracy; 60 part files with input for 12-digit part number, average piece weight, tare weight, over / under values and count accumulation; programmable over/under limits with audible beep and LCD indication.

Optional Accessories

Thermal paper for printer (P/N 80251931)
 Hard shell carry case for Trooper Count (P/N 80850084)

Compliance

Scale: UL, FCC, CSA, CE Approvals NTEP (CC No. 02-0092A) for weighing only, OIML/EC Printer and power adapter: CE, TUV-GS, FCC, VCCI, CULUS, PSE

Industry Leading Quality and Support

All OHAUS Trooper® Counting Scales are manufactured under an ISO 9001:2000 Registered Quality Management System. Our rugged construction and stringent quality control have been hallmarks of all OHAUS products for over a century.

Models	TC3RSP	TC6RSP	TC15RSP	TC30RSP
Capacity (max) x Default Readability	6 lb x 0.001 lb 3 kg x 0.0005 kg 3,000 g x 0.5 g 96 oz x 0.02 oz	15 lb x 0.002 lb 6 kg x 0.001 kg 6,000 g x 1 g 240 oz x 0.05 oz	30 lb x 0.005 lb 15 kg x 0.002 kg 15,000 g x 2 g 480 oz x 0.1 oz	60 lb x 0.01 lb 30 kg x 0.005 kg 30,000 g x 5 g 960 oz x 0.2 oz
NTEP Certified Capacity x Readability*	6 lb x 0.002 lb 3 kg x 0.001 kg	15 lb x 0.005 lb 6 kg x 0.002 kg	30 lb x 0.01 lb 15 kg x 0.005 kg	60 lb x 0.02 lb 30 kg x 0.01 kg
NTEP Certified Resolution*	1:3,000			
Minimum APW with Auto Add	0.0002 lb 0.0001 kg	0.0005 lb 0.0002 kg	0.001 lb 0.0005 kg	0.002 lb 0.001 kg
Minimum APW without Auto Add	0.00006 lb 0.00003 kg	0.00015 lb 0.00006 kg	0.0003 lb 0.00015 kg	0.0006 lb 0.0003 kg

Maximum Displayed Resolution	1:6,000 to 1:7,500 depending on model
Maximum Counting Resolution	1:30,000 with Auto Add, 1:100,000 without Auto Add
Construction	ABS plastic housing, stainless steel weighing pan
Platform Size (W x D)	13.5 in x 9 in / 34 cm x 23 cm
Leveling Components	Four adjustable rubber feet with integral rear mounted level bubble
Stabilization Time	4 seconds or less
Keyboard	10 function, 11 numeric membrane keys with audible key press feature
Weighing Units	lb, kg, g, oz
Weighing Modes	Piece counting, basic weighing, count checking, checkweighing
Display	7-segment, 0.5 in / 12 mm high digits: 5-digit Weight, 6-digit Data and 6-digit Count backlit LCD displays
Power Supply (Scale)	AC Adapter (included) or 6 "C" batteries (not included) for up to 100 hours normal operation
Span Calibration	1/3, 2/3 or full capacity
Auto Zero Tracking	Off, 0.5, 1 or 3 divisions
Operating Temperature	41° F to 104° F / 5° C to 40° C
Storage Temperature	-40° F to 140° F / -40° C to 60° C
Scale Dimensions (W x D x H)	13.5 x 14.5 x 4.5 in / 343 x 368 x 114 mm
Thermal Printer	Model 80251992 direct thermal printer with easy paper loading and paper near end sensor (RS232 cable included)
Printer Dimensions (W x D x H)	3.9 x 7.5 x 3.5 in / 100 x 191 x 90 mm
Printer Power Supply	120 ~ 240 VAC ± 10% (included)
Shipping Dimensions (Bundled) (W x D x H)	17 x 17 x 8.5 in / 422 x 422 x 216 mm
Net Weight (Bundled)	11.2 lb / 5.1 kg
Shipping Weight (Bundled)	14.4 lb / 6.5 kg

**NTEP Certification for weighing function only*

i81u812

[Contact US](#)

[718-336-5900](tel:718-336-5900)

[Returns](#)

[Store Policies](#)

[About Us](#)

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
- Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2020 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.