

Incredibly durable and user-friendly, the economical MF mechanical force gauges are excellent for push/pull force testing in manufacturing, material testing, maintenance and inspection applications.



A **Nidec** Group Company
SHIMPO

Manufacture: Shimpo

SKU: MF-10KG

Weight: 4.00 lb

Free Ground Shipping within the
48 continental US States

Please Call
(800)832-0055

Features

Incredibly durable and user-friendly, the economical MF mechanical force gauges are excellent for push/pull force testing in manufacturing, material testing, maintenance and inspection applications. The peak force mode features an easy push-button reset; this is especially helpful for doing repetitive testing in an assembly line or in quality control. The large dial indicator allows viewing of force changes as they occur. This large dial reduces the chance for parallax errors when taking readings. The MF was ergonomically designed for handheld use, but may also be used with the optional handle-great for loads over 15 pounds (6.8 kg). Due to its mechanical design, response time is immediate. Calibration is achieved by a set of precisely matched springs which are overload protected to 165 pounds (75 kg)!

MF gauges feature a die-cast aluminum housing which mounts easily to all Shimpo Instruments test stands for even greater control of repetitive testing. All standard Series MF gauges include a protective carrying case plus attachment adapters.

A complete kit is available that includes adapters, padded ERGO accessories, handle, large rugged case and NIST traceable certificate. This kit is perfect for the professional Physical Therapist or Ergonomist that performs Isokinetic testing or job task analysis.

- Outstanding $\pm 0.2\%$ F.S. accuracy makes the MF's Ideal even for the strictest applications
- Precision gauge movement provides a quick response for instantaneous analysis
- Measures Tension and Compression Forces - Only one gauge required for insertion withdrawal tests
- Real Time Mode or Peak Mode enables flexibility to view live readings or maximum values recorded

- Smooth mechanical operation with precise action produces repetitive, proper readings
- Exceptionally rugged die-cast aluminum housing enables usage in harshest conditions
- Overload protected to 165 pounds (74.84 kg) protects gauge from accidental damage
- Peak Mode Reset is an ideal for repetitive peak testing applications
- English and metric models available satisfies many testing parameters
- Compact, ergonomic design is perfect for handheld use
- Rear threaded inserts makes it easy to mount to test stands
- Two year warranty provides peace of mind

Included Attachments

- Carrying case
- Large
- V-Hook
- Chisel
- Cone Head
- Notched Head
- Hook
- Large Hook
- Extension Rod

Specifications

Model	MF-1KG	MF-2KG	MF-3KG	MF-5KG	MF-10KG	MF-20KG	MF-30KG	MF-50KG
Capacity x Dial Graduation	1 x 0.005 kg	2 x 0.01 kg	3 x 0.02 kg	5 x 0.025 kg	10 x 0.05 kg	20 x 0.1 kg	30 x 0.2 kg	50 x 0.25 kg
Accuracy	±0.2% F.S.							
Display Analog	2” in diameter (50 mm); rotatable 360° for taring purposes							
Live/Peak Mode	Selectable							
Needle Update	Immediate							
Threaded Insert	Eight M3 inserts							
Overload Capacity	165 lbs (75 kg)							
Product Weight	1.6 lbs (0.73 kg)							
Package Weight	4 lbs (1.81 kg)							
Warranty	2-Year							
Included Accessories	Carrying case and attachments (flat head, hook, chisel, notched head, cone head, extension rod, large hook and large V-hook)							

Capacity x Dial Graduation	2 x 0.01 lb	5 x 0.025 lb	10 x 0.05 lb	20 x 0.1 lb	30 x 0.2 lb	50 x 0.25 lb	100 x 0.5 lb
Accuracy	±0.2% F.S.						
Display Analog	2" in diameter (50 mm); rotatable 360° for taring purposes						
Live/Peak Mode	Selectable						
Needle Update	Immediate						
Threaded Insert	Eight M3 inserts						
Overload Capacity	165 lbs (75 kg)						
Product Weight	1.6 lbs (0.73 kg)						
Package Weight	4 lbs (1.81 kg)						
Warranty	2-Year						
Included Accessories	Carrying case and attachments (flat head, hook, chisel, notched head, cone head, extension rod, large hook and large V-hook)						

i81u812

Contact US

718-336-5900

Returns

Store Policies

About Us

- Phone: [\(800\)832-0055](tel:8008320055) or [\(718\)336-5900](tel:7183365900)
 - Chat with us via [WhatsApp Chat](#)
- Address: 4802 Glenwood Rd. Brooklyn, NY 11234
- © 2000 - 2024 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.