

The PLP Series features platform/floor scales with quick connects and factory calibration allowing easy setup and "out of the box" functionality. Ideal for factories, warehouses, printing houses, workshops, foundries and more!



Features

The PLP Series features platform/floor scales with quick connects and factory calibration allowing easy setup and "out of the box" functionality. Ideal for factories, warehouses, printing houses, workshops, foundries and more!

The PLP Series floor scales offer solid construction with a steel channel-frame design providing strength and protection to the load cell, cable and junction box. Our scales feature 5,000 division load cells and 4 adjustable legs to give more stability with every weighing application. The PLP Series is available in several capacities and includes the WI Indicator.

The PLP Series scales feature rugged construction and are designed for heavy duty jobs. TOR REY floor scales don't need any additional accessories to be installed – you'll receive the platform ready to operate – just plug in the 25 foot heavy duty cable to the indicator and you're ready to go.

The PLP Series scales will meet the platform weighing needs of your business.

• Junction box located on side of scale for easy access...25 ft. heavy gauge cable...Sturdy packaging to ensure maximum scale protection when shipping

- Optional ramps + pit frames available... Rugged design + quality construction ensures long life... Shock absorbing platform protects against overloads...
- Steel channel-frame design provides strength and protection to the load cells, cable and junction box.
- 5,000 division load cells, steel construction and hermetically-sealed junction box for maximum protection
- Steel Channel Frame Design
- 25 Ft Heavy Gauge Cable
- Sealed Junction Box
- 5,000 Division Load Cells
- Adjustable Legs (3?h to 4?h)
- Solid Steel Construction
- WI Indicator Included
- Built-In Rechargeable Battery
- AC Adapter
- Ready To Go Out of the Box
- Legal For Trade (NTEP 01-027)

IDEAL FOR

- Industry
- Warehouses
- Shipping Companies
- Supermarkets
- Printing Houses
- Workshops
- Steel Dealers
- Foundries
- Small Business
- Receiving Areas
- and more!

Specifications

Model	PLP-4/4-2500/5000	PLP-4/4-5000/10000	PLP-5/5-2500/5000	PLP-5/5-5000/10000
Capacity x	5000 x 1 lb	10000 x 2 lb	5000 x 1 lb	10000 x 2 lb
Readability	2500 x 0.5 kg	5000 x 1 kg	2500 x 0.5 kg	5000 x 1 kg
Legal For Trade	NTEP #01-027			
Platform Size	4 x 4 foot		5 x 5 foot	
Maximum Tare	1250 kg / 2500 lb	2500 kg / 5000 lb	1250 kg / 2500 lb	2500 kg / 5000 lb
Operating Temp	4 to 104°F	4 to 104°F	4 to 104°F	4 to 104°F
Operating Temp	-4 to 122°F	-4 to 122°F	-4 to 122°F	-4 to 122°F
Net Weight	320 lbs		380 lbs	
Net Weight	350 lbs		430 lbs	
Power Supply	110 v / 60 hz			
Power Supply	110 v / 60 hz			
Interface	RS-232			



