



## Doran 7025XL-C14 Legal For Trade Bench Scale with 10 x 10 inch Base and 14 inch Column 25 x 0.005 lb

Take the 7000XL to new levels with the enhanced features made possible with the new Excel Series Design. Choose from a variety of communication options include Wired or Wireless Ethernet. Control a mixing or batching operation by simply adding setpoints and relays.



Manufacture: Doran  
SKU: 7025XL-C14  
Weight: 15.00 lb

**Please Call  
(800)832-0055**

### Features

The Doran Excel Series 7000XL is the latest evolution of our time-proven 7000XL Series Scales. For years it's been a workhorse in the toughest of working environments, now it can be put to work in a wider variety of tasks with the Excel Series Design. From a simple dough scale on a baker's bench to a data collection instrument connected to a computer network, the 7000XL is adaptable to fit your specific needs.

#### Washdown Safe

Superior washdown protection has been engineered into the Model 7000XL Bench Scale. The 7000XL indicator features an innovative gasket design that provides NEMA4X and IP69K protection - even in the harshest working environments.

#### 1000% Overload DXL Base

Our unique "Quad-Spring®" design protects the sensitive load cell from shock and overload damage. Protected to a maximum of 10 times the base load rating sets the new industry standard - a feature only available from Doran

#### Heavy Duty Touch Panel

Engineered to stand up in the harshest environment, the sealed, super tough "Guardian®" touch panel resists moisture and puncture damage. Simple controls - ZERO, UNITS, and PRINT - make it easy to use, quick to train employees and prevents operator error.

#### Powerful Excel Features & Options

Take the 7000XL to new levels with the enhanced features made possible with the new Excel Series Design. Choose from a variety of communication options including Wired or Wireless Ethernet. Control a mixing or batching operation by simply adding setpoints and relays.

#### Easy to Operate

The basic controls are all here - Zero, Units, and Print, you cant get any simpler than that. The benefit to you is a scale that is easy to operate and train employees to use - reducing operator error.

#### Excel Series Features

- Communication Interfaces
  - Programmable, Bi-directional RS-232 interface
  - Optional Interfaces: USB 2.0, RS-485, 4-20mA, Fiber Optic, Washdown Ethernet (wired or Wireless - 802.11b), User definable data output
- Optional Setpoints
  - Up to 8 setpoints are available for use in process control, Accept/Reject, 4 Internal Relays or 8 Digital Outputs
- Advanced Features
  - Accumulator, Counter, Grading Scale, and Peak & Hold - Standard



- Dimension setup and communications Windows software.

## Powerful New Excel Design

- **Communications Interface**

- Communications Interface Programmable, Bi-directional RS-232 interface
- Optional Interfaces: USB 2.0, RS-485, 4-20mA, Fiber Optic, Washdown Ethernet (Wired or Wireless - 802.11b), User definable data output, all Field Installable Options

- **Optional Setpoints**

- Up to 8 setpoints are available for use in process control, Accept/Reject, 4 Internal Relays or 8 Digital Outputs

- **Advanced Features**

- Accumulator, Counter, Grading Scale, and Peak & Hold
- Introducing the New Dimension setup and communications Windows software

## Specifications

Model	7002XL-C14	7005XL-C14	7010XL-C14	7025XL-C14	7050XL-C14	7050XL/12-C14	7100XL/12-C14	7050XL/15-C14	7100XL/15-C14	7200XL/15-C14	
Capacity x Readability	lb	2 x 0.0005	5 x 0.001	10 x 0.002	25 x 0.005	50 x 0.01	50 x 0.01	100 x 0.02	50 x 0.01	100 x 0.02	200 x 0.05
	kg	0.9 x 0.2g	2.3 x 0.5g	4.5 x 1g	11.3 x 2g	22.7 x 5g	22.7 x 5g	45 x 10g	22.7 x 5g	45 x 10g	91 x 20g
	oz	32 x 0.01	80 x 0.02	160 x 0.05	400 x 0.1	800 x 0.2	800 x 0.2	1600 x 0.5	800 x 0.2	1600 x 0.5	3200 x 1
Platter Size	10" x 10"					12" x 12"			14" x 14"		
Legal for Trade	Indicator: CC# 99-129A4 NTEP Class III - Base: CC# 97-097A1 NTEP Class III Indicator: CC# AM-5347 Canada Class III - Base: CC# AM-5241 Canada Class III										
NTEP Resolution	5000d	5000d	5000d	5000d	5000d	5000d	5000d	5000d	5000d	5000d	5000d
Computer Interface	Bi-directional RS-232 (standard)										
Washdown	NEMA4 x / IP69 rated										
Display	6 digit red LED 0.56" High										
Controls:	Zero, Units and Print										
Indicators	lb, kg, g, oz, NEG, ZERO and MOT										
Units	lb, kg, g, oz or lb:oz										
Power	115 VAC, 50/60 Hz (230 VAC Optional); EMI/ESD protected										
Construction	304 Stainless Steel										
Warranty	Two Year Parts & Labor										

i81u812

[Contact US](#)

[718-336-5900](#)

[Returns](#)

[Store Policies](#)

[About Us](#)

- Phone: [\(800\)832-0055](#) or [\(718\)336-5900](#)

- Address: 4802 Glenwood Rd. Brooklyn, NY 11234

- © 2000 - 2019 scalesgalore.com (a division of Itin Scale Co., Inc.) All rights reserved.